

Real-time/Level 2 control system UTCAS for special & stainless steelmaking processes (AOD & LF) of UHT













Presenter: Dr. Kristina Beskow
UHT Uvån Hagfors Teknologi AB, Sweden

DissTech Webinar 2017-10-18 www.uht.se

















The UTCAS 4G is a common system platform for integrated design and control of various melt shop processes.





The same system platform is configurable to support operations in

- Electric Arc Furnaces (EAF)
- Converters (AOD, CLU®, BOF)
- Ladle furnaces (LF)
- Vacuum Oxygen Decarburization (VOD) Vacuum Degassers (VD)












UTCAS controls all aspects in AOD refining


- UTCAS is a powerful real-time dynamic system for process control
- UTCAS will handle all aspects of the refining process with tools for design, optimization, operation, evaluation and training
- Use of scientific and verified kinetic and thermodynamic models
 - Based on over 40 interacting models
 - Tuned from years of experience
 - Implementation of external models possible
- Integrated with surrounding systems
 - Lab data, planning data, raw material, operator input
- Allows for full traceability of the AOD charge
 - QA records, training, fault tracking
- Modern and effective interface to all staff
 - Operators, process metallurgist, manager








UTCAS - Tools for complete converter refining






Process Design in UTCAS

- A standard operation procedure, Process plan, is designed for each steel grade.
- In the process plan the process with its different phases and activities are graphically presented to the user.
- **Designed beforehand** by the process engineer, in the **Process Design tool**.
- Possible to simulate effect of changes, such as different process strategies, new materials or equipment, offline before implementing into the actual process.









UTCAS - Process simulation

Stainless Steel grade 304

Ingoing chemistry:

~ 17.25% Cr, 7.15% Ni, 1.205% C


Outgoing chemistry:

~ 18% Cr, 8% Ni, 0.04% C

100 ton AOD Converter

- Top lance (O₂)
- Bottom tuyeres (O₂, N₂ and Ar)

Process control




Process display





Example 1: Process optimization at start of heat













Example 3: Carbon-sampling and optimization













Process Evaluation in UTCAS


- Heat reports are automatically generated
- Tools for generation of customized reports and production summaries
- Key performance indicators can be defined and structured
- "Replay" files of processed heats for process design, tuning of models and process development
- Data can be exported to external systems such as Excel or other spreadsheets














Summary - UTCAS process control system

- UTCAS system is a real-time dynamic system for process control.
- Possible to simulate & define the optimal production route in the steel shop.
- Common HMI with the same look-andfeel for all steel shop processes.
- Pacing and synchronization between process units.
- Implementation of external process models are supported.
- Easy integration to existing steel shop processes.






UTCAS references


- UTCAS is included in all converter deliveries from UHT.
- Totally 15 UTCAS deliveries for converters up to date.
- Latest installation made at Outokumpu Avesta for both AOD and LF-operations.







Thank you for listening!







Contact information: UHT Uvån Hagfors Teknologi AB - Sweden

www.uht.se

phone: +46 (0)8 6220880

email: kristina.beskow@uht.se